



PrePress iLs

Available for
Apple, Windows, Android, Linux.

Cost reduction

- Process optimisation
- Acoustic / optical status report
- Recording of temperature and humidity values
- Remote process termination
- Ready-job notice to printer and workflow
- Avoidance of error productions in-between paper recognition

Environment

- Energy monitor
- Economy mode
- Ovens' stand-by control
- Regulation of heating and air conditioning
- Control of the room light e.g. yellow light / UV light or process-free plates

Keeping a constant eye on the pre-press area



Safety

- Interface connection for all machines
- Acoustic and optical signalling
- System error via sms, email or telephone report
- Liquid level control
- Room control
- Smoke alarm
- Co² measure when using ovens

Job management

- Job allocation / job separation
- Individual plate labelling
- Job backfill when stacking
- Job control
- Real-time job-monitoring
- XML gateway to megalith, SAP and others
- Barcode / 2D Data matrix
- Notification of ready-printed jobs
- Plate quality control PQCS

iLs Basic

- ⋮ Status request for CtP, transport table, processor and stacker (including web interface usage depending on model)
- ⋮ Notification via email in case of emergency
- ⋮ Room control via a robotic camera
- ⋮ Control of room temperature and humidity
- ⋮ Control of room light e.g. yellow light / UV light or process-free plates

